

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	"6571253"	USPAT	OR	ON	2006/07/06 15:47
L2	3	((("6571253") or ("6463442") or ("6418446")).PN.	USPAT	OR	OFF	2006/07/06 15:47
L3	14	("5706505" "6009436" "6085196" "6177936" "6279015" "6282547" "6330006" "6463442").PN. OR ("6571253").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/06 15:47
L4	6	("6571253").URPN.	USPAT	OR	ON	2006/07/06 15:47
L5	23	("6286010").PN. OR ("6418446").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/06 15:47
L6	8	("6463442").URPN.	USPAT	OR	ON	2006/07/06 15:47
L7	1	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator info set dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L8	1	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L9	1	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L10	2	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L11	2	xml xslt compil\$ XPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L12	169	xml xslt compil\$ XPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L13	12	xml xslt compil\$ XPath	USPAT	AND	ON	2006/07/06 15:47
L14	3	xml xslt compil\$ XPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L15	5	xml xslt compil\$ XPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L16	5	xml xslt compil\$ XPath\$ xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47

EAST Search History

L17	2	((("6,256,678") or ("6,418.448") or ("6,209,124")).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/07/06 15:47
L18	7	((("20030074206") or ("20030051236") or ("6,256,678") or ("20020169679") or ("6,418,448") or ("6,209,124") or ("20030084120")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/07/06 15:47
L19	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L20	2216860	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L21	145	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L22	121	action with frame with stack	USPAT	AND	ON	2006/07/06 15:47
L23	0	L22 and xml	USPAT	AND	ON	2006/07/06 15:47
L24	0	L21 and xml	USPAT	AND	ON	2006/07/06 15:47
L25	1	L21 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L26	351	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L27	1	L26 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L28	473	\$xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47

EAST Search History

L29	473	\$3xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L30	104	L29 and stack\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L31	355	L29 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L32	86	L30 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L33	83	L32 and format\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L34	40	L33 and compil\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L35	31	L34 and ((data near stor\$3) datastor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L36	22	L34 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L37	16	L35 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L38	15	L37 and quer\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L39	1056	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L40	69	x with path with navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L41	35	x with path with navigat\$	USPAT	OR	ON	2006/07/06 15:47
L42	7	xpath with navigat\$	USPAT	OR	ON	2006/07/06 15:47
L43	1	xpath with iterat\$	USPAT	OR	ON	2006/07/06 15:47
L44	22	xpath with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L45	3	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L46	6	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L47	8	xpathnavigator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L48	4	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L49	1056	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L50	1	xpath near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L51	0	xpathnode near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L52	0	xpathnod\$ near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L53	0	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L54	6	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L55	10	xpath near navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L56	10	xpath with node with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L57	0	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L58	0	xpathnode with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L59	60	xpath near document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L60	21	L59 and (data adj stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L61	6	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/07/06 15:47
L62	3	L61 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L63	0	L61 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L64	0	(external with reference with resolv\$) and L61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L65	343	(external with reference with resolv\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L66	2	L65 same (style adj sheet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L67	0	L65 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L68	2	L61 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L69	1	L62 and L68	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L70	2	L62 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L71	1	L70 and L68	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L72	0	L61 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L73	145	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L74	0	L73 and L61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L75	1	L73 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L76	12	L73 and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L77	1490	stack and xml and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L78	291	stack and xml and transform\$	USPAT	OR	ON	2006/07/06 15:47

EAST Search History

L79	21	(stack with (frame action event)) and xml and transform\$	USPAT	OR	ON	2006/07/06 15:47
L80	11	basehoar.xa.	USPAT	OR	ON	2006/07/06 15:47
L81	662	campbell.xa.	USPAT	OR	ON	2006/07/06 15:47
L82	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2006/07/06 15:47
L83	13	campbell.xa. and joshua.xa.	USPAT	OR	ON	2006/07/06 15:47
L84	13	campbell.xa. and josh\$.xa.	USPAT	OR	ON	2006/07/06 15:47
L85	1119295	output\$ (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L86	15942	output\$ and (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L87	442	output\$ and (pull\$5 push\$5) and subset and ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L88	91	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L89	88	L88 not microsoft.as.	USPAT	OR	ON	2006/07/06 15:47
L90	91	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L91	260	resolv\$ with external with (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:47
L92	2771526	resolv\$ adj external adjh (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:47
L93	43	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2006/07/06 15:47
L94	86	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:47
L95	0	L93 and L94	USPAT	OR	ON	2006/07/06 15:47

EAST Search History

L96	0	L88 and L94	USPAT	OR	ON	2006/07/06 15:47
L97	0	L94 and (action adj frame adj stack)	USPAT	OR	ON	2006/07/06 15:47
L98	0	(action adj frame adj stack)	USPAT	OR	ON	2006/07/06 15:47
L99	43	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2006/07/06 15:47
L100	86	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:47
L101	0	L94 and L61	USPAT	OR	ON	2006/07/06 15:47
L102	0	L94 and xml	USPAT	OR	ON	2006/07/06 15:47
L103	0	L94 and xsl\$	USPAT	OR	ON	2006/07/06 15:47
L104	0	L94 and (style with sheet)	USPAT	OR	ON	2006/07/06 15:47
L105	77	L94 and compil\$	USPAT	OR	ON	2006/07/06 15:47
L106	2	L62 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L107	12	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/07/06 15:47
L108	1	L107 and (pattern near match\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L109	0	L107 and (root near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L110	6	L107 and (root)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L111	0	L107 and (root near compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L112	0	L107 and (root with compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L113	0	L107 and (root same compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L114	8	L107 and (compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L115	0	L107 and (compil\$ near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L116	1	L107 and (compil\$ with action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L117	1357	(transform\$ translat\$) with xml with (documents items) with (xhtml \$3xml)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L118	408	(transform\$ translat\$) with xml with (documents items) with (format)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L119	74	(transform\$ translat\$) with xml with (documents items) with (format)	USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L120	74	(transform\$ translat\$) with xml with (documents items) with (format) with \$3xml	USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L121	1	(transform\$ translat\$) with xml with ("items") with (format) with \$3xml	USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L122	10	(transform\$ translat\$) with xml with ("items") with (format) with \$3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47
L123	763	(transform\$ translat\$ conver\$) with xml with ("documents") with (format) with \$3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47
L124	15	(transform\$ translat\$ conver\$) with xml with ("documents") with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47
L125	1	(transform\$ translat\$ conver\$) with xml with (component items) with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L126	15	(transform\$ translat\$ conver\$) with xml with (documents) with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47
L127	4	(transform\$ translat\$ conver\$) with xml with (components) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47
L128	152	(transform\$ translat\$ conver\$) with xml with (components) with (format)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47
L129	1	"20050198042"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/07/06 15:47
L130	6	("6571253").URPN.	USPAT	OR	ON	2006/07/06 15:47
L131	1	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator info set dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L132	1	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L133	1	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L134	2	xml xslt compil\$ (data near stor\$) XPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L135	2	xml xslt compil\$ XPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L136	169	xml xslt compil\$ XPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L137	3	xml xslt compil\$ XPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L138	5	xml xslt compil\$ XPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47

EAST Search History

L139	2	((("6,256,678") or ("6,418.448") or ("6,209,124")).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/07/06 15:47
L140	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L141	2216860	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L142	145	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:47
L143	121	action with frame with stack	USPAT	AND	ON	2006/07/06 15:47
L144	0	L143 and xml	USPAT	AND	ON	2006/07/06 15:47
L145	0	L142 and xml	USPAT	AND	ON	2006/07/06 15:47
L146	1	L142 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L147	351	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L148	1	L147 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L149	473	\$xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L150	473	\$3xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47

EAST Search History

L151	104	L150 and stack\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/07/06 15:47
L152	355	L150 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L153	86	L151 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L154	83	L153 and format\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L155	40	L154 and compil\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L156	31	L155 and ((data near stor\$3) datastor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L157	22	L155 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L158	16	L156 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L159	1056	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L160	69	x with path with navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L161	1	xpath with iterat\$	USPAT	OR	ON	2006/07/06 15:47
L162	3	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L163	4	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L164	1056	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L165	1	xpath near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L166	0	xpathnode near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L167	0	xpathnod\$ near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L168	0	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L169	6	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L170	0	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L171	0	xpathnode with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:47
L172	6	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/07/06 15:47
L173	3	L172 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L174	0	L172 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L175	0	(external with reference with resolv\$) and L172	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L176	343	(external with reference with resolv\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L177	0	L176 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L178	2	L172 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L179	1	L173 and L178	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L180	2	L173 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L181	0	L172 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L182	145	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L183	0	L182 and L172	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L184	1	L182 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L185	1490	stack and xml and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L186	291	stack and xml and transform\$	USPAT	OR	ON	2006/07/06 15:47
L187	662	campbell.xa.	USPAT	OR	ON	2006/07/06 15:47
L188	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2006/07/06 15:47
L189	13	campbell.xa. and joshua.xa.	USPAT	OR	ON	2006/07/06 15:47
L190	1119295	output\$ (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L191	15942	output\$ and (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L192	442	output\$ and (pull\$5 push\$5) and subset and ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47

EAST Search History

L193	91	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:47
L194	88	L193 not microsoft.as.	USPAT	OR	ON	2006/07/06 15:47
L195	260	resolv\$ with external with (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:47
L196	2771526	resolv\$ adj external adjh (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:47
L197	43	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2006/07/06 15:47
L198	86	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:47
L199	0	L197 and L198	USPAT	OR	ON	2006/07/06 15:47
L200	0	L193 and L198	USPAT	OR	ON	2006/07/06 15:47
L201	0	L198 and (action adj frame adj stack)	USPAT	OR	ON	2006/07/06 15:47
L202	0	(action adj frame adj stack)	USPAT	OR	ON	2006/07/06 15:47
L203	0	L198 and L172	USPAT	OR	ON	2006/07/06 15:47
L204	0	L198 and xml	USPAT	OR	ON	2006/07/06 15:47
L205	0	L198 and xsl\$	USPAT	OR	ON	2006/07/06 15:47
L206	0	L198 and (style with sheet)	USPAT	OR	ON	2006/07/06 15:47
L207	12	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/07/06 15:47
L208	0	L207 and (root near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L209	0	L207 and (root near compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47

EAST Search History

L210	0	L207 and (root with compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:47
L211	0	L207 and (root same compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L212	8	L207 and (compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L213	0	L207 and (compil\$ near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L214	1	L207 and (compil\$ with action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L215	7	"6571253"	USPAT	OR	ON	2006/07/06 15:48
L216	3	((("6571253") or ("6463442") or ("6418446")).PN.	USPAT	OR	OFF	2006/07/06 15:48
L217	14	("5706505" "6009436" "6085196" "6177936" "6279015" "6282547" "6330006" "6463442").PN. OR ("6571253").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/06 15:48
L218	23	("6286010").PN. OR ("6418446").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/06 15:48
L219	8	("6463442").URPN.	USPAT	OR	ON	2006/07/06 15:48
L220	12	xml xslt compil\$ xPath	USPAT	AND	ON	2006/07/06 15:48
L221	5	xml xslt compil\$ xPath\$ xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/07/06 15:48
L222	7	((("20030074206") or ("20030051236") or ("6,256,678") or ("20020169679") or ("6,418,448") or ("6,209,124") or ("20030084120")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/07/06 15:48
L223	15	L158 and quer\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48
L224	35	x with path with navigat\$	USPAT	OR	ON	2006/07/06 15:48
L225	7	xpath with navigat\$	USPAT	OR	ON	2006/07/06 15:48

EAST Search History


L226	22	xpath with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48
L227	6	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48
L228	8	xpathnavigator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48
L229	10	xpath near navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48
L230	10	xpath with node with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48
L231	60	xpath near document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48
L232	21	L231 and (data adj stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:48

EAST Search History

L233	6	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/07/06 15:48
L234	2	L176 same (style adj sheet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L235	1	L180 and L178	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L236	12	L182 and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L237	21	(stack with (frame action event)) and xml and transform\$	USPAT	OR	ON	2006/07/06 15:48
L238	11	basehoar.xa.	USPAT	OR	ON	2006/07/06 15:48
L239	13	campbell.xa. and josh\$.xa.	USPAT	OR	ON	2006/07/06 15:48
L240	91	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2006/07/06 15:48
L241	43	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2006/07/06 15:48
L242	86	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2006/07/06 15:48
L243	77	L198 and compil\$	USPAT	OR	ON	2006/07/06 15:48
L244	2	L173 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48

EAST Search History

L245	12	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/07/06 15:48
L246	1	L207 and (pattern near match\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48
L247	6	L207 and (root)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/07/06 15:48


 6/7/06